


I/41874/2022

ਪੰਜਾਬ ਜਲ ਨਿਯੰਤਰਣ ਤੇ ਵਿਕਾਸ ਅਥਾਰਟੀ
ਐਸ.ਸੀ.ਓ. ਨੰ: 149-152, ਤੀਸਰੀ ਮੰਜਿਲ,
ਸੈਕਟਰ 17-ਸੀ, ਚੰਡੀਗੜ੍ਹ।
Web Site: www.pwrda.org



Punjab Water Regulation & Development Authority.
S.C.O 149-152, 3rd Floor, Sector 17-C,
Chandigarh.
email- secretary.pwrda@punjab.gov.in

Public Notice

The decision taken vide its Resolution No 53.06 was discussed in detail in 56th meeting of the Authority and for proper implementation of this decision, Authority vide Resolution No. 56.04 dated 06.12.2022, made the following clarifications in case of Housing Infrastructure Units seeking or granted ad interim permission:

- i. Units extracting groundwater exclusively for drinking and domestic usage (and for no other usage) are exempted from seeking permission for groundwater extraction.
- ii. Units extracting groundwater for drinking and domestic usages together with 'other usages' shall take permission for groundwater extraction and pay groundwater charges for the volume of groundwater extracted for such 'other usages'. These Units shall install separate water meters to measure actual volume of Groundwater extracted for different usages. It is clarified that any usage other than drinking and domestic use, such as usage for commercial, institutional, industrial, hospitality, catering, hostels, educational, health services, construction, watering of green belts, swimming, sports, recreation purposes etc. shall be considered as 'other usages'.
- iii. Examples of the above cases are at Annexure A 56.04.03.
- iv. Since the decision taken vide Resolution No.44.04 was revoked vide decision taken vide Resolution No.53.06 hence, Public Notice dated 22.05.2022 entitled "Clarification regarding groundwater extraction charges payable by Infrastructure Units under Draft Guidelines 2020" uploaded based on the Resolution No. 44.04 is hereby removed from the website of the Authority.
- v. The changes required in the ad-interim permission application form consequent to this decision are being uploaded separately.
- vi. The required refund/adjustment of Groundwater extraction charges including advance deposit shall be made to affected Units. However, there shall be no refund of fees paid under para 4.1 of the Draft Guidelines, 2020.

Dated, Chandigarh:15.12.2022.


Executive Engineer.
Annexure (A 56.04.03)**Examples for ad interim Permission to Housing Infrastructure Units under Draft Guidelines 2020**

A. Example: Consider a unit that extracts GW exclusively for drinking and domestic usage with a consumption of 500 m³ per day.

Such unit shall be **exempted** from taking ad interim permission from the Authority.

B. Example: Consider a unit that extracts GW for drinking and domestic usage (400 m³ per day)

I/41874/2022

and for swimming pool, shops etc. (with 500 m³ per day) with a total consumption of 900 m³ per day and lying in Orange zone.

Such unit shall apply to the Authority for ad interim permission. Drinking and Domestic usage completely exempted and unit requires permission for 500 m³ per day. Such unit shall install water meters to provide actual volume of Groundwater for different usages. The following charges are required to be paid:

S No.	Description	Value
1	Total Volume of Water Extracted in a day	900 m ³
	Chargeable volume of Water	500 m ³
2	Assessment area	Orange
3	Application Fees	20,000/-
4	Tube-well Registration fees	10,000/- per tube-well
5	Security Deposit (for 500 m ³)	0 to 10 = 8 x 10 x 60 = 4,800/- 10-100 = 18x 90 x 60 = 97,200/- 100-500 = 22 x 400 x 60 = 5,28,000/- Total Rs 6,30,000/-